Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	322	(711/106).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:52
S2	322	711/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:43
S3	2	"20040221098"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:08
S4	8	(super adj self adj refresh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:09
S5	322	711/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:10
S6	2	"20040221098"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:10
S7	2	S4 and (S5 S6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:10
S8	1	(super adj refresh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:10

S9	3013	(self adj refresh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:20
S10	713	elpida.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:20
S11	7	S10 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:20
S12	952	((ito adj yutaka) (aisu adj takayuki) (suzuki adj yukihide)).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:54
S13	67	S12 and dram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:58
S14	79	S12 and (dram refresh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:22
S15	12	("6446159" "6199139" "6147916" "4542454" "5623451" "5761143"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:54
S16	11	S14 and (super)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:23

S17	3	S14 and (super).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:26
S18	0	(S14 and (ecc).clm.) not (S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:26
S19	0	(S14 and (ECC).clm.) not (S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:26
S20	8	(S14 and (ECC).clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:26
S21	7	(S14 and (ECC).clm.) not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:28
S22	0	(S14 and (bist).clm.) not (S17 S21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:28
S23	1	(S14 and (bist).clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:28
S24	24	("4249253" | "4319356" | "4380812" | "4617660" | "4694454" | "4758992" | "4766573" | "4935900" | "5157634" | "5267242" | "5469559" | "5644544" | "5926429" | "6065145" | "6076183").PN. OR ("6199139").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 11:02
S25	12	S24 and (error adj correct$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 11:18

S26	7	S25 and (address with generat$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 11:20
S27	4	S25 and (command with generat$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 11:22
S28	8	(super adj self adj refresh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:26
S29	0	S28 and (error adj correct3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 11:23
S30	3	S28 and (error adj correct$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 11:23
S31	7	(dram (dynamic adj ram) (dynamic adj random)).ab. and ((error adj correct$3) ecc) and refresh and (user with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:45
S32	44	((dram (dynamic adj ram) (dynamic adj random)) and ((error adj correct$3) ecc) and refresh).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:49
S33	2	"20020018389"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:19
S34	2	"20040221098"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:13
S35	44	((dram (dynamic adj ram) (dynamic adj random)) and ((error adj correct$3) ecc) and refresh).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:26

S36	0	S35 and (user with encod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:27
S37	0	S35 and (user same encod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:45
S38	0	S35 and ((self adj refresh) with (entry adj scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:45
S39	0	S35 and ((self adj refresh) with (entry exit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:46
S40	307	((self adj refresh) with (entry exit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:46
S41	15	S40 and dram and (ecc (error adj correct$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:21
S42	9	S41 and ((entry exit) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:46
S43	8	S40 and dram and (self adj refresh same ((entry exit start end begin finish) with user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:01

S44	4	S43 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:52
S45	2	(S40 and dram and (self adj refresh same ((entry start begin enable) same user))) not (S42 S44)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 13:59
S46	4	(self adj refresh same ((entry start begin enable) with user)) not (S42 S44 S45)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:02
S47	5	(self adj refresh same ((entry start begin enable) same user)) not (S42 S44 S45 S46)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:41
S48	10	("4542454" | "4694454" | "4758992" | "5410507" | "5623451" | "5629898" | "5761143" | "6147916" | "6199139").PN. OR ("6697992").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 14:40
S49	3	S48 and (error adj correct$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 14:41
S50	0	(self adj refresh same ((entry start begin enable) same user)) and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:41
S51	7	("6414894" "6426908" "6512715"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:20
S52	0	S51 and dram and (ecc (error adj correct$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:21

S53	0	S51 and (ecc (error adj correct$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:21
S54	0	"20030061536" and ((refresh adj period) with (check adj bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:16
S55	0	"20030061536" and ((refresh adj period) same (check adj bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:16
S56	1	"20030061536" and ((refresh adj period) same (parity adj bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:16
S57	1	"20030061536" and ((refresh adj period) with (parity adj bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:17
S58	2	"6829677".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:40
S59	1	"20030061536" and (address with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:19
S60	0	"20030061536" and ((refresh adj counter) with increment$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:42

S61	3	(ito adj yutaka).in. and (write adj data and information adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:49
S62	203	(dram and error adj correction).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:00
S63	33	(dram and error adj correct$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:02
S64	2	"20030093744"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:05
S65	2	"6052818".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:10
S66	2	"5450422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:33
S67	19	(ito adj yutaka).in. and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:34
S68	4	(ito adj yutaka).in. and cyclic adj shift	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:41

S69	3	forward adj cyclic adj shift	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:41
S70	10	(US-20020018389-$ or US-20020133663-$ or US-20030061536-$ or US-20030149929-$ or US-20040221098-$ or US-20040243886-$).did. or (US-6199139-$ or US-6697992-$ or US-6829677-$ or US-5450422-$).did.	US-PGPUB; USPAT	OR	ON	2005/12/23 16:09
S71	3	S70 and (shift adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:55
S72	0	"20020018389" and (shift adj register same invert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:56
S73	1	"20020018389" and (shift adj register same invert$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:56
S74	1	"20040221098" and (shift adj register same invert$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:02
S75	4	error adj detect$3 with (forward backward) adj shift$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:03
S76	9	error adj (correct$3) with (forward backward) adj shift$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:05

S77	2	(error adj (correct$3) same ((forward adj shift$3) and backward adj shift$3)) not (S75 S76)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:15
S78	287	((forward and backward) with (shift$3))same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:16
S79	42	((forward and backward) with (shift$3 and register))same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:33
S80	13	S79 and $1ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:19
S81	1	(forward and backward) same cyclic adj shift$3 same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:34
S82	27	((forward adj shift$3) and (backward adj shift)) same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:35
S83	25	S82 not S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:35
S84	1	S83 and $1ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:35

S85	99	("4980888" "6216246" "6216246" "3814922" "4617660" "4758992" "4766573" "4794597" "5553231" "6697992" "6735726" "6035044" "6141249" "5694383" "5831955" "5239526" "5357473" "5446741" "5495572" "5502573" "5508989" "5528571" "5586127" "5864569" "5873112" "5889938" "5941993" "6000039" "6161194" "6178537" "6188650" "6209113" "6266273" "6292868" "6349056" "6438665" "6560143" "6972993" "5930448" "6972585" "6195300" "4319356" "5502732" "5604755" "6065146" "6209074" "6859614" "5261068" "5313624" "5379415").pn. ("6044479" "6429984" "6628466" "6694451" "6546245" "5793774" "4598402" "4901228" "5218691" "5455684" "5504585" "5521922" "5568274" "5623459" "5657464" "5664094" "5677901" "5694262" "5719982" "5752169" "5757921" "5781594" "5923811" "5953513" "5996107" "6115342" "6119260" "6158004" "6229660" "6243845" "6345374" "6374389" "6697915" "6792501" "6839875" "6915476" "4342084" "4399506" "4937783" "5008886" "5235693" "5402428" "5416907" "5465338" "5517626" "5546246" "5603001" "5640349" "5655150" "5696775").pn.	US-PGPUB; USPAT	OR	ON	2005/12/23 16:10
S86	3	S85 and (self adj refresh) and (error adj correct$3)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:20
S87	5459	(714/1,6,48,52 711/105,106,162, 161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 16:19
S88	5459	(714/1,6,48,52 711/105,106,162, 161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 16:20
S89	11	S88 and (self adj refresh) and (error adj correct$3)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:20

Welcome United States Patent and Trademark Office

☐ **Search Session History**

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Fri, 23 Dec 2005, 4:02:47 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries   **Results**

#1	(dram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> ab	0
#2	(dram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> pdfdata	11
#3	(dram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> ab	0
#4	(dram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> ab	0
#5	(dram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> pdfdata	11
#6	(ram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> pdfdata	13
#7	(ram <and> (self <near/1> refresh) and (error <near/1> correction)) <in> pdfdata	13
#8	(ram <and> (self <near/1> refresh) <and> (error <near/1> correction)) <in> pdfdata	13
#9	(ram <and> (self <near/1> refresh) <and> (error <near/1> correction)) <in> ab	0
#10	(dram <and> (self <near/1> refresh) <and> (error <near/1> correction)) <in> pdfdata	11
#11	(dram <and> (self <near/1> refresh)) <in> pdfdata	95

Indexed by
☷ Inspec*

Terms used <u>self</u> <u>refresh</u> <u>error</u> <u>correction</u> <u>dram</u> <u>ram</u>   Found **264** of **169,166**

Sort results by [relevance ▾]   💾 Save results to a Binder   Try an <u>Advanced Search</u>

Display results [expanded form ▾]   ⍰ Search Tips   Try this search in <u>The ACM Guide</u>

☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   <u>next</u>

Best 200 shown   Relevance scale ☐▭◼◼◼

1 Low-voltage memories for power-aware systems   ◼

Kiyoo Itoh

August 2002 **Proceedings of the 2002 international symposium on Low power electronics and design**

Publisher: ACM Press

Full text available: 📄 <u>pdf(281.56 KB)</u>   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>

> This paper describes low-voltage RAM designs for stand-alone and embedded memories in terms of signal-to-noise-ratio designs of RAM cells and subthreshold-current reduction.First, structures and areas of current DRAM and SRAM cells are discussed. Next, low-voltage peripheral circuits that have been proposed so far are reviewed with focus on subthreshold-current reduction, speed variation, on-chip voltage conversion, and testing.Finally, based on the above discussion, a perspective is given with ...

> **Keywords**: DRAM and SRAM cells, gain cells, gate-source/substrate-source back-biasing, memory-rich architectures, multi-Vr, non-volatile RAMs, on-chip voltage converters, peripheral circuits, subthreshold current, testing

2 Energy-aware design of embedded memories: A survey of technologies, architectures, and optimization techniques   ◼

Luca Benini, Alberto Macii, Massimo Poncino

February 2003 **ACM Transactions on Embedded Computing Systems (TECS)**, Volume 2 Issue 1

Publisher: ACM Press

Full text available: 📄 <u>pdf(288.44 KB)</u>   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>

> Embedded systems are often designed under stringent energy consumption budgets, to limit heat generation and battery size. Since memory systems consume a significant amount of energy to store and to forward data, it is then imperative to balance power consumption and performance in memory system design. Contemporary system design focuses on the trade-off between performance and energy consumption in processing and storage units, as well as in their interconnections. Although memory design is as ...

> **Keywords**: Embedded systems, embedded memories, integration, memories, nonvolatile, system-on-a-chip, volatile

3 Pen computing: a technology overview and a vision   ◼

André Meyer

July 1995 **ACM SIGCHI Bulletin**, Volume 27 Issue 3

Publisher: ACM Press

Full text available: 📄 <u>pdf(5.14 MB)</u>   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>citings</u>, <u>index terms</u>

> This work gives an overview of a new technology that is attracting growing interest in